Figure 1

$$(Bu^t)Me_2Si_O - SiMe_2(^tBu)$$

$$Excess R-l$$

$$THF, \Delta$$

$$1$$

$$R$$

$$2, R = n\text{-propyl-3-trimethoxysilane}$$

$$3, R = Me$$

Figure 2




Figure 3




Figure 4




Figure 5




Figure 6





Figure 7



All-Polymer Waveguide

Modular with Self-Assembled Superlattices

Figure 8




Figure 9




Figure 10

$$(Bu^{t})Me_{2}Si - O - N - SiMe_{2}(^{t}Bu)$$

$$(Bu^{t})Me_{2}Si - O - N - N - F$$

$$(MeO)_{3}Si$$

$$F$$

$$Si(OMe)_{3}$$

Figure 11







Figure 12







Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z
Z-É
Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z
Z - Z - Z - Z - Z - Z - Z - Z - Z - Z -

β (0.65 eV)calcd. (10- 30 cm 5 esu- 1)	178	360	1288	1617
λ_{\max} , calcd. (nm)	572	498	658	999
Film r_{33} , $\omega_o = 1064$ nm (pm/V)	56	125	410 (est.)	525 (est.)
		Į.		